

AMENDMENTS TO THE CLAIMS

1-59. (Canceled)

60. (Previously presented) A composite array comprising:
- a substrate having a surface;
 - a first assay location and a second assay location on said surface, said first assay location being separated from said second assay;
 - a first plurality of depressions located within said first assay location and a second plurality of depressions located within said second assay location;
 - a first population of microspheres comprising a bioactive agent, said first population of microspheres randomly distributed at said first assay location and at said second assay location; and
 - a second population of microspheres comprising blank microspheres, said second population of microspheres randomly distributed at said first assay location and at said second assay location.

61-64. (Canceled)

65. (Previously presents) The composite array of claim 60, wherein said first and second assay locations are separated by a gasket.
66. (Previously presented) The composite array of claim 60, wherein said bioactive agent comprises a nucleic acid.
67. (Previously presented) The composite array of claim 60, wherein said substrate comprises a microscope slide.
68. (Previously presented) The composite array of claim 60, wherein said substrate is enclosed within a hybridization chamber.
69. (Previously presented) The composite array of claim 68, wherein said hybridization chamber comprises a flexible membrane.
70. (Previously presented) The composite array of claim 60, wherein said first and second assay locations are separately enclosed within a first and a second hybridization chamber.

71. (Previously presented) A method of making a composite array comprising:
providing a substrate having a surface;

providing a first assay location and a second assay location on said surface, wherein said first assay location comprises a first plurality of depressions and said second assay location comprises a second plurality of depressions, and wherein said first assay location is separated from said second assay location;

distributing randomly at said first assay location and at said second assay location, a first population of microspheres comprising a first bioactive agent; and

distributing randomly at said first assay location and at said second assay location, a second population of microspheres comprising blank microspheres.

72-75. (Canceled)

76. (Previously presented) The method of claim 71, wherein said first and second assay locations are separated by a gasket.

77. (Previously presented) The method of claim 71, wherein said bioactive agent comprises a nucleic acid.

78. (Previously presented) The method of claim 71, wherein said substrate comprises a microscope slide.

79. (Previously presented) The method of claim 71, wherein said substrate is enclosed within a hybridization chamber.

80. (Previously presented) The method of claim 79, wherein said hybridization chamber comprises a flexible membrane.

81. (Previously presented) The method of claim 71, wherein said first and second assay locations are separately enclosed within a first and a second hybridization chamber.

82. (Previously presented) The method of claim 71, wherein said plurality of first depressions is a plurality of wells.

83. (Previously presented) A composite array comprising:

a substrate having a surface, said surface having depressions located thereon, wherein every depression on said surface either comprises a microsphere comprising a nucleic acid or lacks a microsphere comprising a nucleic acid;

a first assay location and a second assay location on said surface, said first assay location being separated from said second assay location;

a first plurality of depressions located within said first assay location and a second plurality of depressions located within said second assay location;

a first population of microspheres comprising a bioactive agent, said first population of microspheres randomly distributed at said first assay location and at said second assay location; and

a second population of microspheres comprising blank microspheres, said second population of microspheres randomly distributed at said first assay location and at said second assay location.

84-87. (Canceled)

88. (Previously presented) The composite array of claim 83, wherein said first and second assay locations are separated by a gasket.

89. (Currently amended) The composite array of claim 83, wherein said first bioactive agent comprises a nucleic acid.

90. (Previously presented) The composite array of claim 83, wherein said substrate comprises a microscope slide.

91. (Previously presented) The composite array of claim 83, wherein said substrate is enclosed within a hybridization chamber.

92. (Previously presented) The composite array of claim 91, wherein said hybridization chamber comprises a flexible membrane.

93. (Previously presented) The composite array of claim 83, wherein said first and second assay locations are separately enclosed within a first and a second hybridization chamber.

94. (Previously presented) A method of making a composite array comprising:
providing a substrate having a surface, said surface comprising a first assay location comprising a first plurality of depressions and a second assay location comprising a second plurality of depressions, wherein said first assay location is separated from said second assay location;

distributing randomly on said substrate, a first population of microspheres comprising a nucleic acid such that depressions of said first plurality of depressions have a single microsphere from said first population of microspheres associated therewith; and

distributing randomly on said substrate, a second population of microspheres comprising blank microspheres.

95. (Previously presented) The method of claim 94, wherein said second plurality of depressions have microspheres from said first population of microspheres and said second population of microspheres associated therewith.

96. (Previously presented) The method of claim 94, wherein said first plurality of depressions have microspheres from said first population of microspheres and said second population of microspheres associated therewith.

97-100. (Canceled)

101. (Previously presented) The method of claim 94, wherein said first and second assay locations are separated by a gasket.

102. (Previously presented) The method of claim 94, wherein said substrate comprises a microscope slide.

103. (Previously presented) The method of claim 94, wherein said substrate is enclosed within a hybridization chamber.

104. (Previously presented) The method of claim 103, wherein said hybridization chamber comprises a flexible membrane.

105. (Previously presented) The method of claim 94, wherein said first and second assay locations are separately enclosed within a first and a second hybridization chamber.

106. (Previously presented) The method of claim 94, wherein said plurality of first depressions is a plurality of wells.

107. (Previously presented) The method of claim 94 further comprising preparing said nucleic acid using an amplification process.

108. (Previously presented) The method of claim 107, wherein said amplification process comprises PCR.

109. (Previously presented) The method of claim 94 further comprising sequencing said nucleic acid.

110. (Previously presented) The method of claim 109, wherein said sequencing comprises pyrosequencing.

111. (Previously presented) The method of claim 109, wherein said sequencing comprises dideoxysequencing.

112. (Previously presented) The composition of claim 60, wherein said first population of microspheres is distributed such that depressions of said second plurality of depressions have microspheres from said first population of microspheres and said second population of microspheres associated therewith.

113. (Previously presented) The composition of claim 60, wherein said second population of microspheres is distributed such that depressions of said first plurality of depressions have microspheres from said second population of microspheres and said first population of microspheres associated therewith.

114. (Previously presented) The method of claim 71, wherein said first population of microspheres is distributed such that depressions of said second plurality of depressions have microspheres from said first population of microspheres and said second population of microspheres associated therewith.

115. (Previously presented) The method of claim 71, wherein said second population of microspheres is distributed such that depressions of said first plurality of depressions have microspheres from said second population of microspheres and said first population of microspheres associated therewith.

116. (Previously presented) The composition of claim 83, wherein said first population of microspheres is distributed such that depressions of said second plurality of depressions have microspheres from said first population of microspheres and said second population of microspheres associated therewith.

117. (Previously presented) The composition of claim 83, wherein said second population of microspheres is distributed such that depressions of said first plurality of depressions have microspheres from said second population of microspheres and said first population of microspheres associated therewith.

118-125. (Canceled)

126. (Previously presented) The composite array of claim 65, wherein said gasket comprises rubber or silicon.

127. (Previously presented) The composite array of claim 66, wherein said nucleic acid comprises portions of both single stranded and double stranded sequence.

128. (Previously presented) The method of claim 76, wherein said gasket comprises rubber or silicon.

129. (Previously presented) The method of claim 77, wherein said nucleic acid comprises portions of both single stranded and double stranded sequence.

130. (Previously presented) The composite array of claim 88, wherein said gasket comprises rubber or silicon.

131. (Previously presented) The composite array of claim 89, wherein said nucleic acid comprises portions of both single stranded and double stranded sequences.

132. (Previously presented) The method of claim 94, wherein said nucleic acid comprises portions of both single stranded and double stranded sequence.

133. (Previously presented) The method of claim 101, wherein said gasket comprises rubber or silicon.

134. (New) The method of claim 95, wherein depressions of said second plurality of depressions comprise no more than one microsphere from said first population of microspheres.

135. (New) The method of claim 96, wherein depressions of said first plurality of depressions comprise no more than one microsphere from said first population of microspheres.

136. (New) The composition of claim 112, wherein depressions of said second plurality of depressions comprise no more than one microsphere from said first population of microspheres.

137. (New) The composition of claim 113, wherein depressions of said first plurality of depressions comprise no more than one microsphere from said first population of microspheres.

138. (New) The method of claim 114, wherein depressions of said second plurality of depressions comprise no more than one microsphere from said first population of microspheres.

Application No.: 10/638,173

Filing Date: August 6, 2003

139. (New) The method of claim 115, wherein depressions of said first plurality of depressions comprise no more than one microsphere from said first population of microspheres.

140. (New) The composition of claim 116, wherein depressions of said second plurality of depressions comprise no more than one microsphere from said first population of microspheres.

141. (New) The composition of claim 117, wherein depressions of said first plurality of depressions comprise no more than one microsphere from said first population of microspheres.